<u> </u>			<u> </u> ,U	
	Application No.	Applicant(s)		
Notice of Allowability	09/508,826	SUZUKI, HIDEO		
	Examiner	Art Unit	/	
	Jonathan R Adams	2134		
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	S IS (OR REMAINS) CLOSED in -85) or other appropriate community RIGHTS. This application is sull 313 and MPEP 1308.	this application. If not included nication will be mailed in due co	d ourse. THIS	
1. This communication is responsive to <u>Amendment of 7/</u>	<u>20/2004</u> .			
2. The allowed claim(s) is/are 16,19-22 and 25.				
3. \boxtimes The drawings filed on <u>16 March 2000</u> are accepted by	the Examiner.			
 4. ☐ Acknowledgment is made of a claim for foreign priorit a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents here. 		r (f).		
2. Certified copies of the priority documents to	nave been received in Application	No		
Copies of the certified copies of the priority	documents have been received	in this national stage application	on from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:		<u>.</u>		
Applicant has THREE MONTHS FROM THE "MAILING DA' noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requ	uirements	
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which			TICE OF	
6. CORRECTED DRAWINGS (as "replacement sheets")	must be submitted.	en e		
(a) \square including changes required by the Notice of Drafts	person's Patent Drawing Review	(PTO-948) attached		
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date	·			
(b) ☐ including changes required by the attached Examile Paper No./Mail Date	ner's Amendment / Comment or i	n the Office action of		
Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such			pack) of	
7. DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME			ote the	
	-			
Attachment(s) 1. ☒ Notice of References Cited (PTO-892)	5 - Notice of Info	ormal Potont Application (DTO	150)	
 Notice of References Cited (P10-992) Notice of Draftperson's Patent Drawing Review (PTO-94) 		ormal Patent Application (PTO- mmany (PTO-413)	-102)	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/S	Paper No./N	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☐ Examiner's Amendment/Comment		
Paper No./Mail Date	,, <u> </u>			
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	sit 8. ∐ Examiner's 8 9. ∏ Other	Statement of Reasons for Allow	/ance	

DETAILED ACTION

- 1. Claims 1-15, 17, 18, 23, and 24 have been cancelled.
- 2. The independent claims: 16, 19, 21, 22, and 25 have been amended.

Response to Arguments

3. Applicant's arguments, see Page 13, Lines 7-14, filed July 20, 2004, with respect to previously rejected claim 18 have been fully considered and are persuasive. The rejection of claim 18, with subject matter now incorporated into amended claims 16, 19, 21, 22, and 25, has been withdrawn.

Allowable Subject Matter

4. Claims 16, 19-22, and 25 are allowed.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan R Adams whose telephone number is (571)272-3832 after 10/04. The examiner can normally be reached on Monday – Friday from 10am to 6pm.

Art Unit: 2134

6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Morse, can be reached on (703) 308-4789. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

GREGORY MORSE

SUPERVISION CENTER 2100